



# SAFETY DATA SHEET

**SIMFLOOR 3 in 1**  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

## Section 1: Identification: Product identifier and chemical identity

### Product identifier

**Product Name** SIMFLOOR 3 in 1

### **Product Code(s)**

30615274  
30615274

### Other means of identification

**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Adhesive

**Uses advised against** No information available

### Details of manufacturer or importer

#### **Supplier**

Simseal Pty Ltd  
Unit 8/33-43 Meakin Road  
Meadowbrook  
QLD, 4131 Australia  
Tel: 1300 SILICONE

#### **Manufacturer**

Bostik Australia Pty Ltd  
51-71 High Street,  
Thomastown Victoria  
Australia  
Tel: 613 9279-9333  
Fax: 613 9279-9342

**ABN:** 75 861 683 120

**ABN:** 79 003 893 838

**E-mail address** info@simseal.com.au

### Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

## Section 2: Hazard(s) identification

### GHS Classification

<b>Skin sensitization</b>	Category 1B - (H317)
---------------------------	----------------------

### Label elements

Exclamation mark



# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

**Signal word**  
WARNING

**Hazard statements**  
H317 - May cause an allergic skin reaction

**Precautionary Statements - Prevention**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace  
Wear protective gloves/clothing and eye/face protection  
IF ON SKIN: Wash with plenty of water and soap  
If skin irritation or rash occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse

**Precautionary Statements - Disposal**  
Dispose of contents/container to an approved waste disposal plant

**Other hazards which do not result in classification**  
Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.  
Causes mild skin irritation.

**Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)**  
No poisons schedule number allocated

**Poison Schedule Number** Not applicable

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

### Substance

Not applicable

### Mixture

Chemical name	CAS No	Weight-%
Trimethoxyvinylsilane	2768-02-7	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
Carbon black	1333-86-4	0 - <10
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0 - <10
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First aid measures

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26  
Poisons Information Center, New Zealand: 0800 764 766

### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

**Ingestion** Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

hydrolysis.

## **Most important symptoms and effects, both acute and delayed**

**Symptoms** None known.

## **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## **Section 5: Firefighting measures**

### **Suitable Extinguishing Media**

**Suitable extinguishing media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable extinguishing media** Full water jet.

### **Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon oxides. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Silicon dioxide.

### **Special protective actions for fire-fighters**

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

**For emergency responders** Use personal protection recommended in Section 8.

### **Environmental precautions**

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### **Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: Handling and storage, including how the chemical may be safely used**

### **Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

## **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feeding stuffs.

**Recommended storage temperature** Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

## **Section 8: Exposure controls and personal protection**

### **Control parameters**

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	Australia
Carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionato-O,O'), (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>

OEL as published by Safe Work Australia

### **Appropriate engineering controls**

**Engineering controls** Showers, eyewash stations, and ventilation systems.

### **Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable protective clothing.

**Hand protection** Wear suitable gloves.

**Respiratory protection** Organic gases and vapors filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** No information available.

## **Section 9: Physical and chemical properties**

### **Information on basic physical and chemical properties**

**Physical state** Paste / Gel Liquid  
**Appearance** Thixotropic Paste  
**Color** Beige  
**Odor** Slight  
**Odor threshold** No information available

Property	Values	Remarks • Method
<b>pH</b>	No data available	
<b>pH (as aqueous solution)</b>	No data available	
<b>Melting point / freezing point</b>	No data available	
<b>Initial boiling point and boiling</b>	No data available	

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

range	
Flash point	> 93 °C
Evaporation rate	No data available
Flammability	Not applicable for liquids .
Flammability Limit in Air	
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Relative vapor density	No data available
Relative density	1.42
Water solubility	Insoluble in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No information available
Oxidizing properties	No information available
<u>Other information</u>	
Solid content (%)	No information available
Liquid Density	1.42 g/cm <sup>3</sup>
VOC content	No information available

## Section 10: Stability and reactivity

### Reactivity

Reactivity Product cures with moisture.

### Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible materials

Incompatible materials None known based on information supplied.

### Hazardous decomposition products

Hazardous decomposition products Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

## Section 11: Toxicological information

### Acute toxicity

#### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Based on available data, the classification criteria are not met.
<b>Eye contact</b>	Based on available data, the classification criteria are not met.
<b>Skin contact</b>	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.
<b>Ingestion</b>	Based on available data, the classification criteria are not met.

**Symptoms** Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (dermal)</b>	13,609.80
<b>ATEmix (inhalation-vapor)</b>	747.00 mg/l

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
N-(3-(trimethoxysilyl)propyl)ethylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Carbon black	LD50 > 8000 mg/kg (Rattus) OECD 401	> 3 g/kg (Oryctolagus cuniculus)	> 4.6 mg/m <sup>3</sup> ( Rat ) 4 h
Tin, dibutylbis(2,4-pentanedionato-O <sub>2</sub> O')-, (OC-6-11)-	LD50 = 1864 mg/kg (Rattus) OECD 401	LD50 > 2000 mg/kg (Rattus) OECD 402	LC50 4hr: 16.8 mg/l (Rattus) (OECD TG 403)

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

**Serious eye damage/eye irritation** No information available.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		24 hours	Non-irritant

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Component Information			
Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization, Buehler test	Guinea pig	Dermal	sensitizing

**Germ cell mutagenicity** No information available.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)		
Method	Species	Results
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	in vitro	Mutagenic

## Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Carbon black 1333-86-4			Group 2B

Legend

**IARC (International Agency for Research on Cancer)**  
*Group 2B - Possibly Carcinogenic to Humans*

**Reproductive toxicity** No information available.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Not Classifiable

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413: Subchronic Inhalation Toxicity: 90-day Study	Rat	Inhalation vapor		90 days	0.058 NOAEL

**Aspiration hazard** No information available.

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

## Section 12: Ecological information

### Ecotoxicity

#### Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203	-	EC50: >5600mg/L (24h, Daphnia magna)
Tin, dibutylbis(2,4-pentanedioato-O,O'), (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l	-	EC50 0.0036 mg/l 48Hr (Daphnia magna)

### Persistence and degradability

**Persistence and degradability** No information available.

#### Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	BOD	51 % Not readily biodegradable

### Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane 2768-02-7	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3

### Mobility

**Mobility in soil** No information available.

**Mobility** No information available.

### Other adverse effects

**Other adverse effects** No information available.

### Endocrine Disruptor Information



# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

## Section 13: Disposal considerations

### Disposal methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## Section 14: Transport information

**ADG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

See section 8 for national exposure control parameters

##### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

**Poison Schedule Number** Not applicable

#### National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Tin, dibutylbis(2,4-pentanedionato-O,O'), (OC-6-11)-22673-19-4	10 tonne/yr Threshold category 1

#### International Inventories

<b>AIIC</b>	Listed
<b>NZIoC</b>	Listed
<b>ENCS</b>	Listed
<b>IECSC</b>	Listed
<b>KECL</b>	Not Listed
<b>PICCS</b>	Not Listed

#### Legend:

**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

# SAFETY DATA SHEET

SIMFLOOR 3 in 1  
Revision Number 1.02

Revision date 24-Nov-2022  
Supersedes Date: 10-Nov-2022

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Europe

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	SVHC candidates
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-22673-19-4	X

#### 2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

### Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 24-Nov-2022

Revision Note  
First time release.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

#### Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

#### Section 12: Ecological information

EC50 (effective concentration)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**