

SIMFLOOR HP Revision date 17-Feb-2022 **Revision Number** 3 Supersedes Date: 10-Jan-2019

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name SIMFLOOR HP

Product Code(s)

30840416

30620432; 30840416; 30840417

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesive

No information available Uses advised against

Details of manufacturer or importer

Supplier **Manufacturer**

Simseal Pty Ltd Bostik Australia Pty Ltd Unit 8/33-43 Meakin Road 51-71 High Street, Thomastown Victoria Meadowbrook

QLD. 4131 Australia Australia

Tel: 613 9279-9333 Tel: 1300 SILICONE

Fax: 613 9279-9342

ABN: 75 861 683 120 ABN: 79 003 893 838

E-mail address info@simseal.com.au

Emergency telephone number

24-hr Emergency: 1800 033 111 Emergency telephone number

Section 2: Hazard(s) identification

GHS Classification

Skin sensitization Category 1B - (H317)

Label elements

Exclamation mark



Australia - EN Page 1/10

SIMFLOOR HP
Revision Number 3

Revision date 17-Feb-2022
Supersedes Date: 10-Jan-2019

Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Trimethoxyvinylsilane	2768-02-7	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

Most important symptoms and effects, both acute and delayed

Australia - EN Page 2/10

SIMFLOOR HP Revision date 17-Feb-2022 **Revision Number** 3 Supersedes Date: 10-Jan-2019

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by Note to physicians

hydrolysis and released upon curing.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapors.

Special protective actions for fire-fighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact Advice on safe handling

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

Australia - EN Page 3 / 10

SIMFLOOR HP Revision date 17-Feb-2022 Revision Number 3 Supersedes Date: 10-Jan-2019

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Thixotropic Paste

Color Brown Odor Slight

Odor threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution) No data available
Melting point / freezing point No data available
Initial boiling point and boiling No data available

range

Flash point > 200 °C
Evaporation rate No data available
Flammability Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Australia - EN Page 4/10

SIMFLOOR HP

Revision Number 3

Revision date 17-Feb-2022

Supersedes Date: 10-Jan-2019

Vapor pressure No data available

Relative vapor density

No data available
Relative density

1.6

Insoluble in water Water solubility Solubility(ies) No data available No data available Partition coefficient **Autoignition temperature** No data available **Decomposition temperature** No data available No data available Kinematic viscosity **Dynamic viscosity** No data available **Explosive properties** No information available No information available Oxidizing properties

Other information

Solid content (%)

Density

No information available
No information available

VOC Content (%) No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

None.

Explosion data

Sensitivity to mechanical

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not

freeze. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition Carbon oxides. Nitrogen oxides (NOx). May emit toxic fumes under fire conditions. Small

products amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Australia - EN Page 5/10

SIMFLOOR HP

Revision Number 3

Revision date 17-Feb-2022
Supersedes Date: 10-Jan-2019

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture

is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Based on available data, the classification criteria are not met.

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 12,877.50 ATEmix (inhalation-vapor) 587.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Component Information					
Trimethoxyvinylsilane (276	88-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Serious eye damage/eye irritation No information available.

Component Information					
Trimethoxyvinylsilane (2	2768-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye		1			
Irritation/Corrosion					

Respiratory or skin sensitization May cause sensitization by skin contact.

Component Information			
Trimethoxyvinylsilane (2768-02	2-7)		
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitizer
Sensitization			

Germ cell mutagenicity No information available.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results

Australia - EN Page 6 / 10

SIMFLOOR HP Revision Number 3 Revision date 17-Feb-2022 Supersedes Date: 10-Jan-2019

OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic
---	----------	---------------

Reproductive toxicity No information available.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 422: Combined Repeated	Rat	Not Classifiable
Dose Toxicity Study with the		
Reproduction/Developmental Toxicity		
Screening Test		

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Component Information					
Trimethoxyvinylsilane (2)	768-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation				-	
Toxicity: 90-day Study					

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Trimethoxyvinylsilane	EC 50 (72h) > 957 mg/l	LC50 (96h) = 191 mg/l	-	EC50(48hr) 168.7mg/l
2768-02-7	(Desmodesmus	(Oncorhynchus mykiss)		(Daphnia magna)
	subspicatus)			
	EU Method C.3			
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3		,		

Persistence and degradability

Persistence and degradability No information available.

Component Information			
Trimethoxyvinylsilane (2768-02-7	")		
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			_

Bioaccumulative potential

Australia - EN Page 7 / 10

SIMFLOOR HP

Revision Number 3

Revision date 17-Feb-2022

Supersedes Date: 10-Jan-2019

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane 2768-02-7	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated Classified as a scheduled poison according to the Standard for Uniform Scheduling of

Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable

International Inventories

AIIC Listed

Australia - EN Page 8 / 10

SIMFLOOR HP
Revision Number 3

Revision date 17-Feb-2022
Supersedes Date: 10-Jan-2019

NZIOC Listed
ENCS Not Listed
IECSC Listed
KECL Not Listed
PICCS Not Listed

Legend:

AICS - Australian Inventory of Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 17-Feb-2022

Revision Note

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

Australia - EN Page 9/10

^{***}Indicates updated data since last publication.

SIMFLOOR HP **Revision Number** 3

Revision date 17-Feb-2022 Supersedes Date: 10-Jan-2019

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 10/10